

WWSC

"WWSC" WHEEL WEIGHING PLATFORMS



Platforms designed for creating weighing stations for large vehicles (vans, trucks, tankers, tractor-trailers, etc.); particularly accurate and sturdy, with attention to details.

The best solution
for advanced industrial
applications

FEATURES

- Platform dimensions: 500x511mm. Height 58mm. Weight approximately 19,5kg.
- Loading surface: 500x400mm.
- Very handy. Sturdy structure, made in special aluminum, which guarantees lightness and makes these suitable also for harsh working conditions.
- Cable with quick connector, platform side.
- 10 m cable for connecting platform to indicator, complete of connector.
- IP68 stainless steel load cells.
- Hermetic junction box with IP68 protection degree.
- Special vulcanised nonslip rubber applied under the platform, for good grip on all types of surfaces.
- Extremely simple and reliable connection of the scale to the weight indicator.
- Fitted with IP68 protection, with IP68 connector and PUR cable.
- The WWS platforms are patented; the number is 1.342.302.
- Available in legal for trade approved version.
- Available in high resolution version.
- Available upon price estimate in Atex version for 1&21 e 2&22 zones.

NOTES ABOUT THE LEGAL FOR TRADE APPROVED VERSIONS

- The platforms are for legal for trade use:
 - In the single-platform systems, not used to weigh vehicles.
 - In the wheel weighing systems in which the number of platforms is equal to the number of vehicle wheels.
 - In the axle weighing systems composed of one or more multiples of WWS platforms, except possible limitations of use for some European States.
- The CE-M legal for trade divisions indicated in the "version" table are available with ECEM option. ECEM option is needed for each legal for trade platform of the system.
- Legal for trade systems with more than one WWS, are fitted with the approval of the weight sum and related division:
Exemple for a 4 pads system
Single CE-M Platform: Max=1500kg and e=0,5kg
CE-M SUM: Max=6000kg and e=2kg

VERSIONS

Versioni disponibili

| Codice | l x w x h (mm) | Max (kg) | d (kg) | M (kg) | d HR (kg) * |
|----------|-------------------|-----------------|-----------|------------------|----------------|
| WWSC1.5T | 500x400x58 | 1500 | 0,5 | 0,5 | 0,05 |
| WWSC3T | 500x400x58 | 3000 | 1 | 1 | 0,1 |
| WWSC6T | 500x400x58 | 6000 | 2 | 2 | 0,2 |
| WWSC10T | 500x400x58 | 10000 | 5 | 5 | 0,5 |
| WWSC15T | 500x400x58 | 15000 (12500**) | 5 | 5 | 0,5 |

(*) Queste divisioni sono ottenibili solo con le relative opzioni

(**) In abbinamento a omologazione ECEM, portata max. 12500kg

COVENTRY SCALE COMPANY



COVENTRY SCALE COMPANY LTD

BARKERS BUTTS LANE 137 - CV61EB - COVENTRY - UNITED KINGDOM

Tel. 0044-2476-593500

Fax. 044-2476-601239

E-mail info@coventryscale.co.uk

Web www.coventryscale.co.uk